

Specialty Medication Prior Authorization Cover Sheet

(This cover sheet should be submitted along with a Pharmacy Prior Authorization Medication Fax Request Form. Please refer to www.uhcprovider.com for medication fax request forms.)

Patient Information

Patient's Name: _____

Insurance ID: _____ Date of Birth: _____ Height: _____ Weight: _____

Address: _____ Apartment #: _____

City: _____ State: _____ Zip Code: _____

Phone Number: _____ Alternate Phone: _____ Sex: Male Female

Provider Information

Provider's Name: _____ Provider ID Number: _____

Address: _____ City: _____ State: _____ Zip Code: _____

Suite Number: _____ Building Number: _____

Phone Number: _____ Fax number: _____

Provider's Specialty: _____

Medication Information

Medication: _____ Quantity: _____ ICD10 Code: _____

Directions: _____ Diagnosis: _____ Refills: _____

Physician Signature:** _____ Initial here if DAW: _____

*Physician Signature**:* By signing above, the physician is providing the specialty pharmacy with a prescription that can be used to facilitate the dispensing and/or coordination of delivery for the requested medication.

Medication Instructions

Has the patient been instructed on how to **Self-Administer**? Yes No

Is this medication a **New Start**? Yes No

If continuation please provide the following: Initiation Date: / / Date of Last Dose: / /

Is there documentation of positive clinical response to current therapy? Yes No

****Please attach any pertinent clinical information that would pertain to support stated diagnosis. Additional clinical information may be needed depending on your patients plan, including medication(s) previously tried and failed.**

Delivery Instructions

Note: Delivery coordination requires a "Physician Signature" above and complete "Provider Information" and "Patient Information"

Note: All necessary ancillary supplies are provided free of charge to the patient at the time of delivery

Ship to: Physician's Office Patient's Address Date medication is needed: / /

Medication Administered: Home Health Self-Administered LTC Physician's Office

Please complete this entire form and fax it to: **866-940-7328**. If you have questions, please call **800-310-6826**.

This form contains multiple pages. Please complete all pages to avoid a delay in our decision.

Allow at least 24 hours for review.

Section A – Member Information

First Name:	Last Name:	Member ID:
Address:		
City:	State:	ZIP Code:
Phone:	DOB:	Allergies:

Primary Insurance Information:

Is the requested medication New or Continuation of Therapy? If continuation, list start date: _____

Is this patient currently hospitalized? Yes No If recently discharged, list discharge date: _____

Section B - Provider Information

First Name:	Last Name:	M.D./D.O.	
Address:	City:	State:	ZIP code:
Phone:	Fax:	NPI #:	Specialty:

Office Contact Name / Fax attention to:

Section C - Medical Information

Medication:	Strength:
Directions for use:	Quantity:
Diagnosis (Please be specific & provide as much information as possible):	ICD-10 CODE:

Is this member pregnant? Yes No If yes, what is this member's due date? _____

Section D – Previous Medication Trials

Medications	Strength	Directions	Dates of Therapy	Reason for failure / discontinuation

**Section E – Additional information and Explanation of why preferred medications would not meet the patient's needs:
Please refer to the patient's PDL for a list of preferred alternatives**

Member First name:	Member Last name:	Member DOB:
--------------------	-------------------	-------------

Clinical and Drug Specific Information
ALL REQUESTS

<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have any of the following diagnoses? <i>(If yes, check which applies)</i> <input type="checkbox"/> Chronic Kidney Disease (CKD) <input type="checkbox"/> HIV-Infected Patients: Anemia Associated with Zidovudine Treatment <input type="checkbox"/> Anemia Due to Cancer Chemotherapy <input type="checkbox"/> Preoperative Use for Reduction of Allogeneic Blood Transfusions in Patients Undergoing Surgery <input type="checkbox"/> Myelodysplastic Disease (MDS) <input type="checkbox"/> Hepatitis C Virus (HCV) Infection
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's hemoglobin (Hgb) greater than 10g/dL or hematocrit (Hct) greater than 30%?
--	--

CHRONIC KIDNEY DISEASE (CKD)

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's hematocrit less than 30% at the initiation of therapy? <i>If yes, list:</i>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient on dialysis?
--	------------------------------------

<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the rate of hematocrit decline indicate the likelihood of requiring a red blood cell (RBC) transfusion?
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the goal of treatment to reduce the risk of alloimmunization and/or other RBC transfusion-related risks?
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient have a history of failure, contraindication, or intolerance to any of the following: <i>(If yes, check which applies and complete Section D above)</i> <input type="checkbox"/> Aranesp <input type="checkbox"/> Epogen <input type="checkbox"/> Procrit
--	--

HIV-INFECTED PATIENTS

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's hematocrit less than 30% at the initiation of therapy? <i>If yes, list:</i>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's endogenous serum erythropoietin level less than or equal to 500mU/mL? <i>(If yes, list results: _____ mU/mL)</i>
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient receiving zidovudine administered at less than or equal to 4200mg/week?
--	---

ANEMIA DUE TO CANCER CHEMOTHERAPY

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's hematocrit less than 30% at the initiation of therapy? <i>If yes, list:</i>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is there a minimum of two additional months of planned chemotherapy?
--	---

PREOPERATIVE USE FOR REDUCTION OF ALLOGENEIC BLOOD TRANSFUSIONS

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient scheduled to undergo elective, non-cardiac, non-vascular surgery?
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's perioperative hematocrit greater than 30% and less than or equal to 39%? <i>If yes, list:</i>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient at high risk for blood loss during surgery?
--	---

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient unwilling or unable to donate autologous blood pre-operatively?
--	---

MYELODYSPLASTIC DISEASE (MDS)

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's hematocrit less than or equal to 30% at the initiation of therapy? <i>If yes, List results:</i>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's serum erythropoietin level less than or equal to 500mU/mL? <i>If yes, List results:</i>
--	--

HEPATITIS C VIRUS (HCV) INFECTION

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient's hematocrit less than or equal to 30% at the initiation of therapy? <i>If yes, list results:</i>
--	--

<input type="checkbox"/> Yes <input type="checkbox"/> No	Is the patient receiving ribavirin and interferon therapy?
--	---

CONTINUATION OF THERAPY

<input type="checkbox"/> Yes <input type="checkbox"/> No	Does the patient's hematocrit remain less than 36%? <i>If yes, list:</i>
--	--

Physician Signature: _____ **Date:** _____

Confidentiality Notice: This transmission contains confidential information belonging to the sender and United HealthCare. This information is intended only for the use of United HealthCare. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action involving the contents of this document is prohibited. If you have received this telecopy in error, please notify the sender immediately.